

"Terracotta Bullnose"



Pool Copers



300 x 300 x 12 / 50 mm

300 x 300 x 40 / 50 mm
200 x 200 x 40 / 50 mm




Hand-Rails



300 x 300 x 30 / 50 mm




150 x 200 x 15 / 25 mm




300 x 300 x 18 / 30 mm



Stepnose Tiles



300 x 280 x 18 / 30 mm



300 x 300 x 12 / 50 mm
200 x 250 x 15 / 30 mm




Terracotta provides a natural finish which is often utilised on entry steps and pool surrounds because of the number of special bullnose, coping tiles and step treads.

Terracotta bullnose are stunning in its beauty and rewarding in its practicality.


Terracotta Tiles Centre Sdn. Bhd. (434842-H)

15, Jalan Pendidik U1/31, Sek. U1, Hicom-Glenmarie Industrial Estate, 40150 Shah Alam, Selangor Darul Ehsan.
Tel: 03-5569 4766, 03-5569 4767 Fax: 03-5569 4791 E-mail: btmsb@tm.net.my www.btmsb.com.my


"Tumbled Tile-Terracotta"




Rose Red



River Yellow



Tobacco Red



Sphere-Rosa
Diameter: 600 mm

SIZE AVAILABLE



94 x 94 x 15 mm

68 x 68 x 15 mm

43 x 43 x 15 mm

The rustic image of tumbled tiles-terracotta act like mosaic of bringing out the new sensations in modern home for decoration at bathrooms, kitchens, living rooms and external areas.


The range of colours and sizes makes it easy to bring the original ideas to life.



Terracotta Tiles Centre Sdn. Bhd. (434242-H)

15, Jalan Pendidik U1/31, Sek. U1, Hicom-Glenmarie Industrial Estate, 40150 Shah Alam, Selangor Darul Ehsan.
Tel: 03-5569 4766, 03-5569 4767 Fax: 03-5569 4791 E-mail: btmsb@tm.net.my www.btmsb.com.my


"Terracotta Tiles"



Size (mm) : 300 x 300 x 15



Size (mm) :
200 x 200 x 11, 300 x 300 x 11
400 x 400 x 12



Size (mm) : 300 x 300 x 11



Size (mm) : 300 x 300 x 12




Size (mm) : 240 x 60 x 9



Size (mm) : 240 x 117 x 9



Size (mm) : 400 x 2000 x 12
**Special order only*



River Yellow



Rose Red



Tobacco Red

** Color shown on catalog may different on actual product.*

COTTODAVID
DALL'ANTICA TERRA DI SIENA

B
BEST TILE

VIGLACERA
ISO 9001



No	Specification	Requirements	Standard
1	Average bending strength	$\geq 20\text{N/mm}^2$	ISO 10545-4
2	Resistance to abrasion (as per volume)	$\geq 393\text{ mm}^3$	ISO 10545-6
3	Resistance to weather, chemicals	Resistance	ISO 10545-12 ISO 10545-12
4	- Average dimension tolerance of each piece comparing with standard dimension. - Average dimension tolerance of each piece comparing with average dimension of 10 piece.	max $\pm 2\text{mm}$ $\pm 1,0\%$	ISO 10545-2
5	Thickness; Average thickness tolerance comparing with standard dimension.	$\pm 10\%$	ISO 10545-2
6	Side straightness: Max. tolerance comparing with standard dimension	$\pm 0,5\%$	ISO 10545-2
7	Perpendicularity: Max. tolerance comparing with standard dimension	$\pm 1,0\%$	ISO 10545-2
8	Side declination comparing with standard dimension	$\pm 1,0\%$	ISO 10545-2
9	Water absorption	$3\% < E \leq 6\%$	ISO 10545-3

Terracotta Tiles Centre Sdn. Bhd. (434842-H)

No. 15, Jalan Pendidik U1/31, Sek. U1, Hicom Glenmarie Industrial Estate, 40150 Shah Alam, Selangor Darul Ehsan.

Tel : 603 - 5569 4779 / 5569 4766 / 5569 4767 Fax : 603- 55694791

E-mail : btmsb@tm.net.my www.btmsb.com.my